

M 30 LAVAMOQUETTE

Issued on 07/05/2012 - Rel. # 6 on 04/04/2017

1 / 10

In conformity to Regulation (EU) 2015/830

SECTION1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : M 30 LAVAMOQUETTE
 Trades code : 012A290325

1.2. Relevant identified uses of the substance or mixture and uses advised against

Detergent for carpets and moquettes

Sectors of use:

Professional use[SU22]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Allegrini S.p.A.
 Vicolo Salvo d'Acquisto, 2
 24050 Grassobbio (BG) Italy
 Tel. +39 035 4242111
 e-mail: msds@allegrini.com

Produced by
 Allegrini S.p.A.

1.4. Emergency telephone number

Allegrini SpA: Tel. +39 035 4242111 Mon. - Fri. 8.00 - 17.00 GMT +1

SECTION2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:
 GHS07

Hazard Class and Category Code(s):
 Skin Irrit. 2, Eye Irrit. 2

Hazard statement Code(s):
 H315 - Causes skin irritation.
 H319 - Causes serious eye irritation.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
 GHS07 - Warning

Hazard statement Code(s):
 H315 - Causes skin irritation.
 H319 - Causes serious eye irritation.



M 30 LAVAMOQUETTE

Issued on 07/05/2012 - Rel. # 6 on 04/04/2017

2 / 10

In conformity to Regulation (EU) 2015/830

Supplemental Hazard statement Code(s):

EUH208 - Contains C(M)IT/MIT (*). May produce an allergic reaction.

Precautionary statements:

Prevention

P280 - Wear protective gloves/eye protection.

Response

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Contains (Reg.EC 648/2004): > 5% < 15% anionic surfactants, < 5% perfumes, Methylchlorisothiazolinone, Methylisothiazolinone, EDTA and salts thereof

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION3. Composition/information on ingredients

3.1 Substances

Irrelevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements.

NOTE: SUBSTANCES MARKED WITH (*) HAVE SPECIFIC LIMITS

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (*)	>= 5 < 10%	Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Chronic 3, H412	n.d.	68891-38-3	500-234-8	01-2119488 639-16
2-Butoxyethanol	> 1 <= 5%	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Acute Tox. 4, H332	603-014-00-0	111-76-2	203-905-0	01-2119475 108-36
Sodium Lauryl Sarcosinate	>= 1 <= 5%	Skin Irrit. 2, H315; Eye Dam. 1, H318; Acute Tox. 2, H330	n.d.	137-16-6	205-281-5	01-2119527 780-39
Ammonium Hydroxide (*)	> 0,1 < 1%	Skin Corr. 1B, H314; STOT SE 3, H335; Aquatic Acute 1, H400; Aquatic Chronic 2, H411	007-001-01-2	1336-21-6	215-647-6	01-2119488 876-14

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area.

M 30 LAVAMOQUETTE

Issued on 07/05/2012 - Rel. # 6 on 04/04/2017

3 / 10

In conformity to Regulation (EU) 2015/830

If you feel unwell seek for medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Rinse mouth with water. It's possible to give activated charcoal in water or liquid paraffin medicine.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

6.1.2 For emergency responders:

Wear mask, gloves and protective clothing.

Eliminate all unattended flames and possible sources of ignition. Do not smoke.

M 30 LAVAMOQUETTE

Issued on 07/05/2012 - Rel. # 6 on 04/04/2017

4 / 10

In conformity to Regulation (EU) 2015/830

Provision of sufficient ventilation.
Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.
If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.
Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:
Rapidly recover the product, wear a mask and protective clothing
Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.
Prevent it from entering the sewer system.

6.3.2 For cleaning up:
After wiping up, wash with water the area and materials involved

6.3.3 Other information:
None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors
While working do not eat or drink.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Professional use:
Handle with care. Store in a cool place, away from sources of heat and direct exposure of sunlight. Keep in original container closed tightly.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

2-Butoxyethanol:
TWA : 98 mg/m³ , 20 ppm (D.Lgs 81/08) (skin)
STEL : 246 mg/m³ , 50 ppm (D.Lgs 81/08) (skin)
DNEL
Systemic effects Long term Workers inhalation = 98 (mg/m³)
Systemic effects Long term Workers dermal = 75 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 49 (mg/m³)
Systemic effects Long term Consumers dermal = 38 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 3,2 (mg/kg bw/day)

M 30 LAVAMOQUETTE

Issued on 07/05/2012 - Rel. # 6 on 04/04/2017

5 / 10

In conformity to Regulation (EU) 2015/830

PNEC

Sweet water = 8,8 (mg/l)
 sediment Sweet water = 34,6 (mg/kg/sediment)
 Sea water = 0,88 (mg/l)
 sediment Sea water = 3,46 (mg/kg/sediment)
 intermittent emissions = 9,1 (mg/l)
 STP = 463 (mg/l)
 ground = 3,13 (mg/kg ground)

Ammonium Hydroxide (*):

TLV/STEL (EC) : 35 ppm , 24 mg/m3
 TLV/TWA (EC) : 25 ppm , 17 mg/m3

DNEL

Systemic effects Long term Workers inhalation = 14 (mg/m3)
 Systemic effects Short term Workers inhalation = 36 (mg/m3)
 Systemic effects Short term Workers dermal = 6,8 (mg/kg bw/day)

PNEC

Sweet water = 0,001 (mg/l)
 Sea water = 0,001 (mg/l)
 intermittent emissions = 0,089 (mg/l)

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (*)

DNEL

Systemic effects Long term Workers inhalation = 175 (mg/m3)
 Systemic effects Long term Workers dermal = 2750 (mg/kg bw/day)
 Systemic effects Long term Consumers inhalation = 52 (mg/m3)
 Systemic effects Long term Consumers dermal = 1650 (mg/kg bw/day)
 Systemic effects Long term Consumers oral = 15 (mg/kg bw/day)

PNEC

Sweet water = 0,24 (mg/l)
 sediment Sweet water = 5,45 (mg/kg/sediment)
 Sea water = 0,024 (mg/l)
 sediment Sea water = 0,545 (mg/kg/sediment)
 intermittent emissions = 0,071 (mg/l)
 STP = 10000 (mg/l)
 ground = 0,946 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls:

Professional use:
 No specific control provided.

Individual protection measures:



(a) Eye / face protection
 When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hands protection
 When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other
 Wear normal work clothing.

(c) Respiratory protection

M 30 LAVAMOQUETTE

Issued on 07/05/2012 - Rel. # 6 on 04/04/2017

6 / 10

In conformity to Regulation (EU) 2015/830

Not needed for normal use.

(d) Thermal hazards
No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	milky ivory liquid	
Odour	scented/ammoniacal	
Odour threshold	unavailable	
pH	approx. 11.0	
Melting point/freezing point	approx. 0°C	
Initial boiling point and boiling range	approx. 100°C	
Flash point	nonflammable	
Evaporation rate	not determined	
Flammability (solid, gas)	nonflammable	
Upper/lower flammability or explosive limits	non flammable	
Vapour pressure	unavailable	
Vapour density	unavailable	
Relative density	1.015 g/ml	
Solubility	in water	
Water solubility	complete	
Partition coefficient: n-octanol/water	unavailable	
Auto-ignition temperature	unavailable	
Decomposition temperature	unavailable	
Viscosity	unavailable	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazard.

10.2. Chemical stability

The product is stable.

M 30 LAVAMOQUETTE

Issued on 07/05/2012 - Rel. # 6 on 04/04/2017

7 / 10

In conformity to Regulation (EU) 2015/830

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

It does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = 70.700,0 mg/kg
 ATE(mix) dermal = 100.000,0 mg/kg
 ATE(mix) inhal = n.d.

- (a) acute toxicity: based on available data, the classification criteria are not satisfied.
- (b) skin corrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.
- (c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.
- (d) respiratory or skin sensitization: based on available data, the classification criteria are not satisfied.
- (e) germ cell mutagenicity: based on available data, the classification criteria are not satisfied.
- (f) carcinogenicity: based on available data, the classification criteria are not satisfied.
- (g) reproductive toxicity: based on available data, the classification criteria are not satisfied.
- (h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not satisfied.
- (i) specific target organ toxicity (STOT) repeated exposure: based on available data, the classification criteria are not satisfied.
- (j) aspiration hazard: based on available data, the classification criteria are not satisfied.

Related to contained substances:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (*):
 LD50 (rat) Oral (mg/kg body weight) = 2000
 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

2-Butoxyethanol:
 LD50 (rat) Oral (mg/kg body weight) = 1414
 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

Sodium Lauryl Sarcosinate:
 LD50 (rat) Oral (mg/kg body weight) = 5000

Ammonium Hydroxide (*):
 NOAEL oral (mammal) : 68 mg/kg (4 weeks)
 LCLo inhalation (man) : 30.000 ppm (5min)

M 30 LAVAMOQUETTE

Issued on 07/05/2012 - Rel. # 6 on 04/04/2017

8 / 10

In conformity to Regulation (EU) 2015/830

LCLo inhalation (rat) : 2.000 ppm (4h)
 LD50 (rat) Oral (mg/kg body weight) = 350

SECTION12. Ecological information

12.1. Toxicity

Related to contained substances:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (*):
 LC50 (fish) : 7.1 mg/l (96h)
 EC50 (Daphnia) : 7.2 mg/l (48h)
 EC50 (Algae) : 7.5 mg/l (96h)

2-Butoxyethanol:
 LC50 (fish) : 1474 mg/l (96h)
 NOEC (fish) : > 100 mg/l (21d)
 EC50 (daphnia) : > 1500 mg/l (48h)
 NOEC (daphnia) : > 100 mg/l (21d)
 EC50 (algae) : 911 mg/l (72h) (biomass)

Sodium Lauryl Sarcosinate:
 LC50 (fish) : 107 mg/l (96h)
 EC50 (daphnia) : 29.7 mg/l (48h)
 EC50 (algae) : 79 mg/l (72h)
 EC50 (microorganisms) : 1000 mg/l (3h)

Ammonium Hydroxide (*):
 LC50 (fish) : 0.89 mg/l (96h)
 EC50 (daphnia) : 101 mg/l (48h)
 NOEC (daphnia) : 0.79 mg/l (96h)

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (*):
 Biodegradability: 96-97% (28d) (according to OECD requirements)

Sodium Lauryl Sarcosinate:
 Degradability : 82% (28d) (ISO Guideline No 14593)

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

M 30 LAVAMOQUETTE

Issued on 07/05/2012 - Rel. # 6 on 04/04/2017

9 / 10

In conformity to Regulation (EU) 2015/830

12.6. Other adverse effects

No adverse effects

Regulation (EC) No 2006/907 - 2004/648

Surfactants contained in this formula are in compliance with biodegradability parameters established by regulation EC 648/2004 related to detergents.

All supporting information are on hand of authorities of member countries and will be supplied to above mentioned authorities according to their explicit request or following producer's request.

SECTION13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

SECTION14. Transport information

14.1. UN number

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

SECTION15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

D.Lgs. 3/2/1997 n. 52 (Classification, packaging and labelling of dangerous substances). D.Lgs 14/3/2003 n. 65 (Classification, packaging and labelling of dangerous preparations). D.Lgs. 2/2/2002 n. 25 (Risks derived from chemical agents during work). D.M. Labour 26/02/2004 (Limits for professional exposure). D.M. 03/04/2007 (Fulfillment of EU regulation 2006/8). EU Regulation n. 1907/2006 (REACH), Regulation (CE) n. 1272/2008 (CLP). Regulation (CE) n.790/2009.D.Lgs. 21/09/2005 n. 238 (Direttiva Seveso Ter).

M 30 LAVAMOQUETTE

Issued on 07/05/2012 - Rel. # 6 on 04/04/2017

10 / 10

In conformity to Regulation (EU) 2015/830

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information**16.1. Other information**

Description of the hazard statements exposed to point 3

- H315 = Causes skin irritation.
- H318 = Causes serious eye damage.
- H412 = Harmful to aquatic life with long lasting effects.
- H302 = Harmful if swallowed.
- H312 = Harmful in contact with skin.
- H319 = Causes serious eye irritation.
- H332 = Harmful if inhaled.
- H330 = Fatal if inhaled.
- H314 = Causes severe skin burns and eye damage.
- H335 = May cause respiratory irritation.
- H400 = Very toxic to aquatic life.
- H411 = Toxic to aquatic life with long lasting effects.

Classification based on data of all mixture components

Main regulatory references:

Directive 2001/60/CE
Regulament 2008/1272/CE
Regulament 2010/453/CE

***This data sheet annuls and substitutes each previous version.