

SECTION1. Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name : PULISCITUTTO SPECIAL UNIVERSALE
Trades code : 012A290499

1.2. Relevant identified uses of the substance or mixture and uses advised against

Degreasing detergent for hard surfaces

Sectors of use:

Professional use[SU22]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Allegrini S.p.A.
Vicolo Salvo d'Acquisto, 2
24050 Grassobbio (BG) Italy
Tel. +39 035 4242111
e-mail: msds@allegrini.com

Produced by
Allegrini S.p.A.

1.4. Emergency telephone number

Allegrini SpA: Tel. +39 035 4242111 Mon. - Fri. 8.00 - 17.00 GMT +1

SECTION2. Hazards identification**2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:
GHS07

Hazard Class and Category Code(s):
Skin Irrit. 2, Eye Irrit. 2

Hazard statement Code(s):
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS07 - Warning



PULISCITUTTO SPECIAL UNIVERSALE

Issued on 08/03/2012 - Rel. # 5 on 06/07/2018

2 / 9

In conformity to Regulation (EU) 2015/830

Hazard statement Code(s):

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Supplemental Hazard statement Code(s):

unavailable

Precautionary statements:

Prevention

P280 - Wear protective gloves/eye protection.

Response

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements.

NOTE: SUBSTANCES MARKED WITH (*) HAVE SPECIFIC LIMITS

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
2-Butoxyethanol	> 20 <= 30%	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Acute Tox. 4, H332	603-014-00-0	111-76-2	203-905-0	01-2119475 108-36
Ethanol (*)	> 1 <= 5%	Flam. Liq. 2, H225; Eye Irrit. 2, H319	603-002-00-5	64-17-5	200-578-6	01-2119457 610-43

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek for medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your

eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Rinse mouth with water. It's possible to give activated charcoal in water or liquid paraffin medicine.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

6.1.2 For emergency responders:

Eliminate all unattended flames and possible sources of ignition. Do not smoke.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.
Prevent it from entering the sewer system.

6.3.2 For cleaning up:
After wiping up, wash with water the area and materials involved

6.3.3 Other information:
None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors
While working do not eat or drink.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Professional use:
Handle with care. Keep container surely closed. Store in a ventilated place, away from sources of heat.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

2-Butoxyethanol:

TWA : 98 mg/m³ , 20 ppm (D.Lgs 81/08) (skin)

STEL : 246 mg/m³ , 50 ppm (D.Lgs 81/08) (skin)

DNEL

Systemic effects Long term Workers inhalation = 98 (mg/m³)

Systemic effects Long term Workers dermal = 125 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 59 (mg/m³)

Systemic effects Long term Consumers dermal = 75 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 6,3 (mg/kg bw/day)

Systemic effects Short term Workers inhalation = 1091 (mg/m³)

Systemic effects Short term Workers dermal = 89 (mg/kg bw/day)

Systemic effects Short term Consumers inhalation = 426 (mg/m³)

Systemic effects Short term Consumers dermal = 89 (mg/kg bw/day)

Systemic effects Short term Consumers oral = 26,7 (mg/kg bw/day)

Local effects Long term Consumers inhalation = 426 (mg/m³)

Local effects Short term Workers inhalation = 246 (mg/m³)

PNEC

Sweet water = 8,8 (mg/l)

sediment Sweet water = 34,6 (mg/kg/sediment)

Sea water = 0,88 (mg/l)

sediment Sea water = 3,46 (mg/kg/sediment)

intermittent emissions = 9,1 (mg/l)

STP = 463 (mg/l)

ground = 2,33 (mg/kg ground)

Ethanol (*):

TLV/STEL: 1884 mg/m³; 1000 ppm (ACGIH)

8.2. Exposure controls

Appropriate engineering controls:

Professional use:

No foreseen control.



Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hands protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

Wear normal work clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	clear yellow liquid	
Odour	Solvents/scented	
Odour threshold	unavailable	
pH	11-11.5	
Melting point/freezing point	< 0°C	
Initial boiling point and boiling range	> 100°C	
Flash point	> 70°C	
Evaporation rate	irrelevant	
Flammability (solid, gas)	unavailable	
Upper/lower flammability or explosive limits	unavailable	
Vapour pressure	unavailable	
Vapour density	unavailable	
Relative density	0.985 g/cm ³	

PULISCITUTTO SPECIAL UNIVERSALE

Issued on 08/03/2012 - Rel. # 5 on 06/07/2018

6 / 9

In conformity to Regulation (EU) 2015/830

Physical and chemical properties	Value	Determination method
Solubility	in water	
Water solubility	complete	
Partition coefficient: n-octanol/water	unavailable	
Auto-ignition temperature	unavailable	
Decomposition temperature	unavailable	
Viscosity	unavailable	
Explosive properties	not explosive	
Oxidising properties	non oxydants	

9.2. Other information

Content of VOC ready to use condition: 260,01 g/l

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazard.

10.2. Chemical stability

The product is stable.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

It does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = 7.338,3 mg/kg

ATE(mix) dermal = 8.695,7 mg/kg

ATE(mix) inhal = 46,8 mg/l/4 h

(a) acute toxicity: based on available data, the classification criteria are not satisfied.

(b) skin corrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

(d) respiratory or skin sensitization: based on available data, the classification criteria are not satisfied.

(e) germ cell mutagenicity: based on available data, the classification criteria are not satisfied.

(f) carcinogenicity: based on available data, the classification criteria are not satisfied.

(g) reproductive toxicity: 2-Butoxyethanol: NOAEL oral (rabbit): 720 mg/kg

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not satisfied.

(i) specific target organ toxicity (STOT) repeated exposure 2-Butoxyethanol: NOAEL oral (rat male): <69 mg/kg (90d) NOAEL oral (rat female): < 82 mg/kg (90d); NOAEL dermal (rabbit): > 150 mg/kg (90d); LOAEL inhalation (rat): 150 mg/m³

(j) aspiration hazard: based on available data, the classification criteria are not satisfied.

Related to contained substances:

2-Butoxyethanol:

LD50 (rat) Oral (mg/kg body weight) = 1746

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

Ethanol (*):

LD50 (rat) Oral (mg/kg body weight) = 10470

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 20000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 124,7

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

2-Butoxyethanol:

LC50 (fish) : 1474 mg/l (96h)

NOEC (fish) : > 100 mg/l (21d)

EC50 (daphnia) : > 1500 mg/l (48h)

NOEC (daphnia) : > 100 mg/l (21d)

EC50 (algae) : 911 mg/l (72h) (biomass)

Ethanol (*):

LD50 (fish): > 12000 mg/l (96h)

EC50 (daphnia): > 10000 mg/l (48h)

EC50 (algae): > 200 mg/l (72h)

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:

2-Butoxyethanol:

Biodegradability: 90.4 (28d) (OECD Guideline 301 B)

Ready Biodegradability.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

PULISCITUTTO SPECIAL UNIVERSALE

Issued on 08/03/2012 - Rel. # 5 on 06/07/2018

8 / 9

In conformity to Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information**14.1. UN number**

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

D.Lgs. 3/2/1997 n. 52 (Classification, packaging and labelling of dangerous substances). D.Lgs 14/3/2003 n. 65 (Classification, packaging and labelling of dangerous preparations). D.Lgs. 2/2/2002 n. 25 (Risks derived from chemical agents during work). D.M. Labour 26/02/2004 (Limits for professional exposure). D.M. 03/04/2007 (Fulfillment

PULISCITUTTO SPECIAL UNIVERSALE

Issued on 08/03/2012 - Rel. # 5 on 06/07/2018

9 / 9

In conformity to Regulation (EU) 2015/830

of EU regulation 2006/8). EU Regulation n. 1907/2006 (REACH), Regulation (CE) n. 1272/2008 (CLP). Regulation (CE) n.790/2009.D.Lgs. 21/09/2005 n. 238 (Direttiva Seveso Ter).

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information**16.1. Other information**

Points modified compared to previous release: 1.2. Relevant identified uses of the substance or mixture and uses advised against, 1.4. Emergency telephone number, 2.2. Label elements, 2.3. Other hazards, 4.1. Description of first aid measures, 6.1. Personal precautions, protective equipment and emergency procedures, 7.1. Precautions for safe handling, 8.1. Control parameters, 8.2. Exposure controls, 9.2. Other information, 10.1. Reactivity, 10.2. Chemical stability, 10.3. Possibility of hazardous reactions, 10.4. Conditions to avoid, 10.5. Incompatible materials, 11.1. Information on toxicological effects, 12.1. Toxicity, 12.2. Persistence and degradability, 12.3. Bioaccumulative potential, 12.4. Mobility in soil, 12.5. Results of PBT and vPvB assessment, 12.6. Other adverse effects

Description of the hazard statements exposed to point 3

H302 = Harmful if swallowed.

H312 = Harmful in contact with skin.

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

H332 = Harmful if inhaled.

H225 = Highly flammable liquid and vapour.

Classification based on data of all mixture components

Main regulatory references:

EC Regulation 1907/2006 of the European Parliament (REACH) and subsequent updates

EC Regulation 1272/2008 of the European Parliament (CLP) and subsequent updates

EC Regulation 830/2015 of the European Parliament and subsequent updates

EC Regulation 648/2004 of the European Parliament and subsequent updates

The data contained in the present Safety Information Sheet is based on our current knowledge and provides information regarding the safe management and handling of the product. The present document is not a Certificate of Analysis, nor a technical information sheet, nor does it constitute an agreement regarding the specifications of the product.

***This data sheet annuls and substitutes each previous version.



AISE GEIS.10.1.a.v1

Version: 1.0, May 2014



Nederlandse Vereniging van Zeepfabrikanten

Brushing a diluted professional product

Operational conditions	
Maximum duration	480 minutes per day.
Process conditions	Process is carried out at room temperature.
	No LEV needed; good general ventilation at workplace is sufficient.
Risk management measures	
Conditions and measures related to personal protection equipment (PPE), hygiene and health evaluation	No PPE necessary.
Good practise advice	
Don't eat or drink, don't smoke, no open flame	
Wash hands after use Avoid contact with damaged skin Do not mix with other products	
Spillage instructions	Dilute with water and mop up.
Additional good practice advice	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the SDS of the used product.
Environmental measures	
Prevent that the undiluted product reaches surface waters.	

Properties of product composition	
In Section 2 of the SDS of products and on the label the classification of the undiluted product is provided.	
The classification of a product is based on the classified ingredients in the products. All ingredients contributing to the classification of the mixture are mentioned in Section 3 of the SDS.	
Relevant limit values of the ingredients on which the exposure assessment is based, are stated in Section 8 of the SDS.	
This product may contain sensitizing ingredients, that may cause an allergic reaction in certain people. Section 15 of the SDS states these ingredients, when applicable to the product.	

Use descriptors	
SU 22	Professional use
PC 35	Washing and cleaning product
PROC 10	Roller application or brushing
ERC 8a	Wide dispersive indoor use of processing aids in open systems
	If appropriate AISE SpERC 8a.1.a.v2 may apply: Wide dispersive use in "Down the drain" cleaning and maintenance products that are treated by a municipal STP.

Disclaimer: This is a generic document for communicating conditions of safe use of a product. If a GEIS code is mentioned in Section 1 of the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the GEIS CSP documents is safe, according to the GEIS Formulator Guidance. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following GEIS conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, Generic Exposure Information Sheets should always be considered in combination with the SDS and the label of the product. The GEIS Guidance for End Users provides more information.

The A.I.S.E. or the NVZ are under no conditions liable for any damage, no matter of what kind, which is the direct or indirect consequence of acts and/or decisions (partly) based on the contents of this document.



AISE GEIS.10.1.b.v1

Version: 1.0, May 2014



Nederlandse Vereniging van Zeepfabrikanten

Brushing a concentrated professional product

Operational conditions	
Maximum duration	220 minutes per day.
Process conditions	Process is carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45 degrees Celcius is used.
	No LEV needed; good general ventilation at workplace is sufficient.

Risk management measures	
Conditions and measures related to personal protection equipment (PPE), hygiene and health evaluation	Use gloves and safety goggles. See Section 8 of the SDS of this product for specifications.
	 Training of the worker in relation to proper use and maintenance of the PPE must be ensured.

Good practise advice	
Don't eat or drink, don't smoke, no open flame	
Wash hands after use Avoid contact with damaged skin Do not mix with other products	
Spillage instructions	Dilute with water and mop up.
Additional good practice advice	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the SDS of the used product.

Environmental measures	
Prevent that the undiluted product reaches surface waters.	

Properties of product composition	
In Section 2 of the SDS of products and on the label the classification of the undiluted product is provided.	
The classification of a product is based on the classified ingredients in the products. All ingredients contributing to the classification of the mixture are mentioned in Section 3 of the SDS.	
Relevant limit values of the ingredients on which the exposure assessment is based, are stated in Section 8 of the SDS.	
This product may contain sensitizing ingredients, that may cause an allergic reaction in certain people. Section 15 of the SDS states these ingredients, when applicable to the product.	

Use descriptors	
SU 22	Professional use
PC 35	Washing and cleaning product
PROC 10	Roller application or brushing
ERC 8a	Wide dispersive indoor use of processing aids in open systems
	If appropriate AISE SpERC 8a.1.a.v2 may apply: Wide dispersive use in "Down the drain" cleaning and maintenance products that are treated by a municipal STP.

Disclaimer: This is a generic document for communicating conditions of safe use of a product. If a GEIS code is mentioned in Section 1 of the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the GEIS CSP documents is safe, according to the GEIS Formulator Guidance. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following GEIS conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, Generic Exposure Information Sheets should always be considered in combination with the SDS and the label of the product. The GEIS Guidance for End Users provides more information.

The A.I.S.E. or the NVZ are under no conditions liable for any damage, no matter of what kind, which is the direct or indirect consequence of acts and/or decisions (partly) based on the contents of this document.



AISE GEIS.11.1.b.v1

Version: 1.0, May 2014



Nederlandse Vereniging van Zeepfabrikanten

(Trigger) spraying of a professional product

Operational conditions	
Maximum duration	50 minutes per day.
Process conditions	Process is carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45 degrees Celcius is used.
	No LEV needed; good general ventilation at workplace is sufficient.

Risk management measures	
Conditions and measures related to personal protection equipment (PPE), hygiene and health evaluation	Use gloves and safety goggles. See Section 8 of the SDS of this product for specifications.
	 Training of the worker in relation to proper use and maintenance of the PPE must be ensured.

Good practise advice	
Don't eat or drink, don't smoke, no open flame	
Wash hands after use Avoid contact with damaged skin Do not mix with other products	
Spillage instructions	Dilute with water and mop up.
Additional good practice advice	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the SDS of the used product.

Environmental measures	
Prevent that the undiluted product reaches surface waters.	

Properties of product composition	
In Section 2 of the SDS of products and on the label the classification of the undiluted product is provided.	
The classification of a product is based on the classified ingredients in the products. All ingredients contributing to the classification of the mixture are mentioned in Section 3 of the SDS.	
Relevant limit values of the ingredients on which the exposure assessment is based, are stated in Section 8 of the SDS.	
This product may contain sensitizing ingredients, that may cause an allergic reaction in certain people. Section 15 of the SDS states these ingredients, when applicable to the product.	

Use descriptors	
SU 22	Professional use
PC 35	Washing and cleaning product
PROC 11	Non-industrial spraying
ERC 8a	Wide dispersive indoor use of processing aids in open systems
	If appropriate AISE SpERC 8a.1.a.v2 may apply: Wide dispersive use in "Down the drain" cleaning and maintenance products that are treated by a municipal STP.

Disclaimer: This is a generic document for communicating conditions of safe use of a product. If a GEIS code is mentioned in Section 1 of the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the GEIS CSP documents is safe, according to the GEIS Formulator Guidance. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following GEIS conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, Generic Exposure Information Sheets should always be considered in combination with the SDS and the label of the product. The GEIS Guidance for End Users provides more information.

The A.I.S.E. or the NVZ are under no conditions liable for any damage, no matter of what kind, which is the direct or indirect consequence of acts and/or decisions (partly) based on the contents of this document.