

STOVILMATIC PLUS LEMON

Issued on 05/24/2012 - Rel. # 5 on 10/20/2017

1 / 10

In conformity to Regulation (EU) 2015/830

SECTION1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : STOVILMATIC PLUS LEMON
Trades code : 012A290806

1.2. Relevant identified uses of the substance or mixture and uses advised against

Detergent for automatic dishwasher cleaning
Sectors of use:
Professional use[SU22]

Uses advised against
Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Allegrini S.p.A.
Vicolo Salvo d'Acquisto, 2
24050 Grassobbio (BG) Italy
Tel. +39 035 4242111
e-mail: msds@allegrini.com

1.4. Emergency telephone number

Allegrini SpA: Tel. +39 035 4242111 Mon. - Fri. 8.00 - 17.00 GMT +1

SECTION2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:
GHS05, GHS08

Hazard Class and Category Code(s):
Met. Corr. 1, Skin Corr. 1A, STOT RE 2

Hazard statement Code(s):
H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H373 - May cause damage to organs (respiratory system) through prolonged or repeated exposure (inhalation).

The product can be corrosive to metals
Corrosive product: causes severe skin burns and eye damage.
Warning: This product can cause serious irreversible damages to man's health through prolonged or repeated exposure

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS05, GHS08 - Danger

Hazard statement Code(s):
H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H373 - May cause damage to organs (respiratory system) through prolonged or repeated exposure (inhalation).



STOVILMATIC PLUS LEMON

Issued on 05/24/2012 - Rel. # 5 on 10/20/2017

2 / 10

In conformity to Regulation (EU) 2015/830

Supplemental Hazard statement Code(s):
unavailable

Precautionary statements:

Prevention

P280 - Wear protective gloves/eye protection.

Response

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor.

Disposal

P501 - Dispose of contents/container in accordance to local regulation.

Contains: Sodium Hydroxide (*), EDTA Na4 (*)

Contains (Reg.EC 648/2004): > 15% < 30% EDTA and salts thereof, < 5% amphoteric surfactants, perfumes, phosphonates

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

The utilization of this chemical agent cause the obligation of "Risks Evaluation" from employer according to dispositions of Dlgs. April 9th 2008 no. 81. Workers exposed to this chemical agent do not have to be subjected to sanitary supervision if the results of risks evaluation show that, according to typology and quantity of chemical agent and according to method and frequency of exposure to that agent, we only have "moderate risk" for health and safety of workers and that measures foreseen by the Dlgs. are sufficient to reduce the risk.

SECTION3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements.

NOTE: SUBSTANCES MARKED WITH (*) HAVE SPECIFIC LIMITS

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
EDTA Na4 (*)	>= 10 <= 20%	Acute Tox. 4, H302; Eye Dam. 1, H318; Acute Tox. 4, H332; STOT RE 2, H373	607-428-00-2	64-02-8	200-573-9	01-2119486 762-27
Sodium Hydroxide (*)	>= 5 <= 10%	Met. Corr. 1, H290; Skin Corr. 1A, H314	011-002-00-6	1310-73-2	215-185-5	01-2119457 892-27
Citric Acid	> 1 <= 5%	Eye Irrit. 2, H319	n.d.	77-92-9	201-069-1	01-2119457 026-42

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area.

STOVILMATIC PLUS LEMON

Issued on 05/24/2012 - Rel. # 5 on 10/20/2017

3 / 10

In conformity to Regulation (EU) 2015/830

If you feel unwell seek for medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing immediately off.

In case of contact with skin, wash immediately with water.

Consult a physician immediately

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Drink water with egg white; do not give bicarbonate.

Absolutely do not induce vomiting or emesis. Seek for medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Get medical advice/attention if you feel unwell.

Immediately call a POISON CENTER/doctor.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

6.1.2 For emergency responders:

Wear mask, gloves and protective clothing.

Eliminate all unattended flames and possible sources of ignition. Do not smoke.

STOVILMATIC PLUS LEMON

Issued on 05/24/2012 - Rel. # 5 on 10/20/2017

4 / 10

In conformity to Regulation (EU) 2015/830

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

While working do not eat or drink.

See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Professional use:

Handle with care. Store in a cool place, away from sources of heat. Keep in original container closed tightly.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

Sodium Hydroxide (*):

TLV/TWA: 2 mg/m³ (value Ceiling) (ACGIH 2004).

DNEL

Local effects Long term Workers inhalation = 1

Local effects Long term Consumers inhalation = 1 (mg/m³)

EDTA Na₄ (*)

DNEL

Systemic effects Long term Workers inhalation = 2,5 (mg/m³)

Systemic effects Long term Consumers inhalation = 1,5 (mg/m³)

STOVILMATIC PLUS LEMON

Issued on 05/24/2012 - Rel. # 5 on 10/20/2017

5 / 10

In conformity to Regulation (EU) 2015/830

Systemic effects Short term Workers inhalation = 2,5 (mg/m³)
 Systemic effects Short term Consumers inhalation = 1,5 (mg/m³)
 Local effects Long term Consumers oral = 25 (mg/kg bw/day)
 PNEC
 Sweet water = 2,2 (mg/l)
 Sea water = 0,22 (mg/l)
 intermittent emissions = 1,2 (mg/l)
 STP = 43 (mg/l)
 ground = 0,72 (mg/kg ground)

Citric Acid
 PNEC
 Sweet water = 0,44 (mg/l)
 sediment Sweet water = 3,46 (mg/kg/sediment)
 Sea water = 0,044 (mg/l)
 sediment Sea water = 34,6 (mg/kg/sediment)
 STP = 1000 (mg/l)
 ground = 33,1 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls:
 Professional use:
 No specific control provided.



Individual protection measures:

- (a) Eye / face protection
When handling the pure product use safety glasses (spectacles cage) (EN 166).
- (b) Skin protection
 - (i) Hands protection
When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)
 - (ii) Other
Wear normal work clothing.
- (c) Respiratory protection
Not needed for normal use.
- (d) Thermal hazards
No hazard to report

Environmental exposure controls:
 Use according to good working practices to avoid pollution into the environment.

SECTION9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	clear yellow liquid	

STOVILMATIC PLUS LEMON

Issued on 05/24/2012 - Rel. # 5 on 10/20/2017

6 / 10

In conformity to Regulation (EU) 2015/830

Physical and chemical properties	Value	Determination method
Odour	lemon	
Odour threshold	unavailable	
pH	> 13	
Melting point/freezing point	< 0°C	
Initial boiling point and boiling range	approx. 100°C	
Flash point	non flammable	
Evaporation rate	unavailable	
Flammability (solid, gas)	non flammable	
Upper/lower flammability or explosive limits	non flammable	
Vapour pressure	unavailable	
Vapour density	unavailable	
Relative density	1,27 g/ml	
Solubility	in water	
Water solubility	complete	
Partition coefficient: n-octanol/water	unavailable	
Auto-ignition temperature	unavailable	
Decomposition temperature	unavailable	
Viscosity	unavailable	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

Related to contained substances:

Sodium Hydroxide (*)

Exothermal reaction with water.

Reaction with acids and metals.

It reacts with aluminum or its alloys in the presence of water to form hydrogen.

10.2. Chemical stability

The product is stable.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Nothing to report

STOVILMATIC PLUS LEMON

Issued on 05/24/2012 - Rel. # 5 on 10/20/2017

7 / 10

In conformity to Regulation (EU) 2015/830

10.5. Incompatible materials

Violent reaction with concentrated acids.

10.6. Hazardous decomposition products

It does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = n.d.

ATE(mix) dermal = n.d.

ATE(mix) inhal = n.d.

(a) acute toxicity: based on available data, the classification criteria are not satisfied.

(b) skin corrosion/irritation Corrosive product: causes severe skin burns and eye damage.

(c) serious eye damage/irritation: Corrosive product: causes severe skin burns and eye damage.

(d) respiratory or skin sensitization: based on available data, the classification criteria are not satisfied.

(e) germ cell mutagenicity: based on available data, the classification criteria are not satisfied.

(f) carcinogenicity: based on available data, the classification criteria are not satisfied.

(g) reproductive toxicity: based on available data, the classification criteria are not satisfied.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not satisfied.

(i) specific target organ toxicity (STOT) repeated exposure Warning: This product can cause serious irreversible damages to man's health through prolonged or repeated exposure

(j) aspiration hazard: based on available data, the classification criteria are not satisfied.

Related to contained substances:

EDTA Na4 (*):

LD50 (rat) Oral (mg/kg body weight) = 1780

Sodium Hydroxide (*)

LD L0 oral (rabbit) : = 500 mg/kg

LD50 dermal (rat or rabbit) (mg/kg body weight) = 1300

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 4800

Citric Acid:

LD50 (rat) Oral (mg/kg body weight) = 5400

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

EDTA Na4 (*):

LC50 (fish) : > 121 mg/l (96h)

NOEC (fish) : >25.7 mg/l (35d)

EC50 (algae) : > 100 mg/l (72h)

Sodium Hydroxide (*):

LC50 (fish): 189 mg/l (48h)

EC50 (daphnia): 40.4 mg/l (48h)

STOVILMATIC PLUS LEMON

Issued on 05/24/2012 - Rel. # 5 on 10/20/2017

8 / 10

In conformity to Regulation (EU) 2015/830

Citric Acid:

LC50 (fish): 440 mg/l (48h)

LC50 (daphnia): 1535 mg/l (24h)

NOEC (algae): 425 mg/l (8d)

TT (microorganisms): >10000 mg/l (16h)

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:

EDTA Na4 (*):

Degradability: 0-10% (28d) (OECD Guideline 302 B)

Citric Acid:

Biodegradabilità = 97% (28d) (OECD Guideline 301 B)

Ready Biodegradability.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

Regulation (EC) No 2006/907 - 2004/648

Surfactants contained in this formula are in compliance with biodegradability parameters established by regulation EC 648/2004 related to detergents.

All supporting information are on hand of authorities of member countries and will be supplied to above mentioned authorities according to their explicit request or following producer's request.

SECTION13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION14. Transport information

14.1. UN number

ADR/RID/IMDG/ICAO-IATA: 1719

If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 1 L per package 30 Kg

Inner packagings placed in shrink-wrapped or stretch-wrapped trays: per inner packaging 1 L per package 20 Kg



STOVILMATIC PLUS LEMON

Issued on 05/24/2012 - Rel. # 5 on 10/20/2017

9 / 10

In conformity to Regulation (EU) 2015/830

14.2. UN proper shipping name

ADR/RID/IMDG: CAUSTIC ALKALI LIQUID, N.O.S. (Tetrasodium ethylenediaminetetraacetate, Sodium Hydroxide)
ICAO-IATA: CAUSTIC ALKALI LIQUID, N.O.S. (Tetrasodium ethylenediaminetetraacetate, Sodium Hydroxide)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 8
ADR/RID/IMDG/ICAO-IATA: Label : 8
ADR: Tunnel restriction code : E
ADR/RID/IMDG/ICAO-IATA: Limited quantities : 1 L
IMDG - EmS : F-A, S-B

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: II

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is not environmentally hazardous
IMDG: Marine polluting agent : Not

14.6. Special precautions for user

Transport must be executed through vehicles authorized for transport of dangerous goods, according to regulations of current edition of agreement A.D.R. and to national dispositions applicable.
Transport must be done in original packaging and, however, they must be made of materials unassailable by the content and not able to create dangerous reactions. Staff assigned to loading and unloading of dangerous goods must be well educated to hazards of the product and procedures to be adopted in case of emergency situation.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

D.Lgs. 3/2/1997 n. 52 (Classification, packaging and labelling of dangerous substances). D.Lgs 14/3/2003 n. 65 (Classification, packaging and labelling of dangerous preparations). D.Lgs. 2/2/2002 n. 25 (Risks derived from chemical agents during work). D.M. Labour 26/02/2004 (Limits for professional exposure). D.M. 03/04/2007 (Fulfillment of EU regulation 2006/8). EU Regulation n. 1907/2006 (REACH), Regulation (CE) n. 1272/2008 (CLP). Regulation (CE) n.790/2009.D.Lgs. 21/09/2005 n. 238 (Direttiva Seveso Ter).

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release: 1.2. Relevant identified uses of the substance or mixture and uses advised against, 1.4. Emergency telephone number, 2.1. Classification of the substance or mixture, 2.2. Label elements, 2.3. Other hazards, 3.2 Mixtures, 4.1. Description of first aid measures, 4.3. Indication of any immediate medical attention and special treatment needed, 6.1. Personal precautions, protective equipment and emergency procedures, 7.1. Precautions for safe handling, 7.3. Specific end use(s), 8.1. Control parameters, 8.2. Exposure controls, 10.1. Reactivity, 10.2. Chemical stability, 10.3. Possibility of hazardous reactions, 10.5. Incompatible materials,

STOVILMATIC PLUS LEMON

Issued on 05/24/2012 - Rel. # 5 on 10/20/2017

10 / 10

In conformity to Regulation (EU) 2015/830

11.1. Information on toxicological effects, 12.1. Toxicity, 12.2. Persistence and degradability, 12.3. Bioaccumulative potential, 12.5. Results of PBT and vPvB assessment, 12.6. Other adverse effects, 13.1. Waste treatment methods, 14.2. UN proper shipping name, 14.6. Special precautions for user, 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Description of the hazard statements exposed to point 3

H302 = Harmful if swallowed.

H318 = Causes serious eye damage.

H332 = Harmful if inhaled.

H373 = May cause damage to organs through prolonged or repeated exposure .

H290 = May be corrosive to metals.

H314 = Causes severe skin burns and eye damage.

H319 = Causes serious eye irritation.

Classification based on data of all mixture components

Main regulatory references:

EC Regulation 1907/2006 of the European Parliament (REACH) and subsequent updates

EC Regulation 1272/2008 of the European Parliament (CLP) and subsequent updates

EC Regulation 830/2015 of the European Parliament and subsequent updates

EC Regulation 648/2004 of the European Parliament and subsequent updates

The data contained in the present Safety Information Sheet is based on our current knowledge and provides information regarding the safe management and handling of the product. The present document is not a Certificate of Analysis, nor a technical information sheet, nor does it constitute an agreement regarding the specifications of the product.

***This data sheet annuls and substitutes each previous version.