ALLEGRINI S.P.A.		Revision nr. 1 Dated 09/06/2021	
012A291106 - ONE WASH			Printed on 09/06/2021 Page n. 1/14
Accor	Safety Data S ding to Annex II to REACH - Re		
SECTION 1. Identification of the sub	ostance/mixture and o	of the company/unde	rtaking
1.1. Product identifier Code: Product name UFI :	012A291106 ONE WASH 9J10-10UF-1001-KDR6		
1.2. Relevant identified uses of the substance or Identified Uses Detergent for car and truck bodywork	mixture and uses advised ag Industrial	ainst Professional	Consumer
Uses Advised Against	-	✓	-
all other uses not recommended			
1.3. Details of the supplier of the safety data shee Name Full address District and Country e-mail address of the competent person	et ALLEGRINI S.P.A. Vicolo Salvo D'Acquisto, 2 24050 Grassobbio (BG) Italy Tel. +39 035 4242111 Fax +39 035 526588	2	
responsible for the Safety Data Sheet	msds@allegrini.com		
1.4. Emergency telephone number For urgent inquiries refer to SECTION 2. Hazards identification		5 4242111 Mon - Fri 8.00 - 17.	00 GMT +1
2.1. Classification of the substance or mixture The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.			
Hazard classification and indication: Serious eye damage, category 1 Skin irritation, category 2 Skin sensitization, category 1 Hazardous to the aquatic environment, chronic toxic category 3	H318 H315 H317 ity, H412	Causes serious eye damag Causes skin irritation. May cause an allergic skin Harmful to aquatic life with	reaction.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

ALLEGRINI S.P.A.		Revision nr. 1 Dated 09/06/2021
	012A291106 - ONE WASH	
	012A231100 - ONE WAON	Page n. 2/14
Hazard pictograms:		
Signal words:	Danger	
Hazard statements:		
H318 H315 H317 H412	Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.	
Precautionary statements:		
P305+P351+P338 P280 P310 P261 P264 P362+P364	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if rinsing. Wear protective gloves / eye protection / face protection. Immediately call a POISON CENTER / doctor. Avoid breathing dust / fume / gas / mist / vapours / spray. Wash the hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.	present and easy to do. Continue
Contains:	Dodecylbenzenesulphonic acid, compound with 2-aminoethanol (1:1) 2-methyl-2H-isothiazol-3-one (*) Alcohols, C12-14, ethoxylated, sulfates, sodium salts Limonene	
Ingredients according to Rec	gulation (EC) No. 648/2004	
5% or over but less than 15%	anionic surfactants	
perfumes, Limonene		
Preservation agents: Methyli	sothiazolinone, Benzisothiazolinone, Sodium pyrithione	
2.3. Other hazards		
On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.		
SECTION 3. Composition/information on ingredients		
3.1. Substances		
Information not relevant		
3.2. Mixtures		
Contains:		
Identification	x = Conc. % Classification 1272/2008 (CLP)	

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021

Printed on 09/06/2021 Page n. 3/14

Dodecylbenzenesulphonic acid, compound with 2-aminoethanol (1:1) CAS 26836-07-7	8≤x< 9	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315
EC 248-024-2		
INDEX -		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts CAS 68891-38-3	3,5≤x< 4	Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412
EC 500-234-8		
INDEX -		
Reg. no. 01-2119488639-16		
Limonene		
CAS 5989-27-5	0,1 ≤ x < 0,15	Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1, Classification note/notes according to Annex VI to the CLP Regulation: C
EC 227-813-5		
INDEX 601-029-00-7		
Reg. no. 01-2119529223-47		
Pyridine-2-thiol 1-oxide, sodium salt		
CAS 3811-73-2	0 ≤ x < 0,025	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=10
EC 223-296-5		
INDEX -		
2-methyl-2H-isothiazol-3-one (*)		
CAS 2682-20-4	0,0015 ≤ x < 0,06	Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1, EUH071
EC 220-239-6		
INDEX 613-326-00-9		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention. INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021

Printed on 09/06/2021 Page n. 4/14

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021

Printed on 09/06/2021 Page n. 5/14

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Limonene								
Predicted no-effect concentra	ation - PNEC							
Normal value in fresh water				0,0054	mg	g/l		
Normal value in marine water	•			0,00054	mg	g/l		
Normal value for fresh water	sediment			1,32	mg	g/kg		
Normal value for marine wate	er sediment			0,13	mg	g/kg		
Normal value of STP microor	ganisms			1,8	mg	g/I		
Normal value for the terrestria	al compartment			0,26	mg	g/kg		
Health - Derived no-effe	ct level - DNEL / D	OMEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute	Chronic local	Chronic
Oral				4,76 mg/kg		systemic		systemic
Inhalation				<u>bw/d</u> 8,33 mg/m3			33,3 mg/m3	33,3 mg/m3
Skin	0,1 g/cm2			-, 3 -	0,222 g/cm2		3	5
Alcohols, C12-14, ethox	ylated, sulfates, s	odium salts			0,222 groniz			
Alcohols, C12-14, ethox Predicted no-effect concentra	ylated, sulfates, s	odium salts			0,222 g/0112			
Alcohols, C12-14, ethox	ylated, sulfates, s	odium salts		0,24	mg	g/l		
Alcohols, C12-14, ethox Predicted no-effect concentra	ylated, sulfates, s ition - PNEC	odium salts		0,24 0,024				
Alcohols, C12-14, ethox Predicted no-effect concentra Normal value in fresh water	ylated, sulfates, s tition - PNEC	sodium salts		,	mç			
Alcohols, C12-14, ethox Predicted no-effect concentra Normal value in fresh water Normal value in marine water	ylated, sulfates, s ition - PNEC sediment	odium salts		0,024	mç mç	g/l		
Alcohols, C12-14, ethox Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water	ylated, sulfates, s tition - PNEC - sediment er sediment	sodium salts		0,024 0,9168	mç mç]/l]/kg]/kg		
Alcohols, C12-14, ethox Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate	ylated, sulfates, s ation - PNEC sediment er sediment nittent release	odium salts		0,024 0,9168 0,09168	 ՠը	g/l g/kg g/kg g/l		
Alcohols, C12-14, ethox Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, intern	ylated, sulfates, s ition - PNEC sediment er sediment nittent release ganisms	sodium salts		0,024 0,9168 0,09168 0,071	۲ ۳ ۳ ۳ ۳ ۳ ۳ ۳ ۳ ۳ ۳ ۳ ۳ ۳	g/l g/kg g/kg g/l		
Alcohols, C12-14, ethox Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, intern Normal value of STP microor	ylated, sulfates, s attion - PNEC sediment er sediment nittent release ganisms al compartment ct level - DNEL / I			0,024 0,9168 0,09168 0,071 10000	mg mg mg mg mg mg mg	y/l y/kg y/kg y/l		
Alcohols, C12-14, ethox Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, intern Normal value of STP microor Normal value for the terrestria	ylated, sulfates, s ition - PNEC sediment er sediment nittent release ganisms al compartment ct level - DNEL / E Effects on			0,024 0,9168 0,09168 0,071 10000	mg mg mg mg mg mg mg	y/l y/kg y/kg y/l		
Alcohols, C12-14, ethox Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, intern Normal value of STP microor Normal value for the terrestria	ylated, sulfates, s attion - PNEC sediment er sediment nittent release ganisms al compartment ct level - DNEL / I		Chronic local	0,024 0,9168 0,09168 0,071 10000 7,5 Chronic	mg mg mg mg mg mg mg	y/l g/kg g/kg g/l g/l g/kg Acute	Chronic local	Chronic
Alcohols, C12-14, ethox Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, intern Normal value of STP microor Normal value of the terrestria Health - Derived no-effe	ylated, sulfates, s ition - PNEC sediment ar sediment nittent release ganisms al compartment ct level - DNEL / L Effects on consumers	DMEL	Chronic local	0,024 0,9168 0,09168 0,071 10000 7,5	mg mg mg mg mg mg mg mg mg	y/kg y/kg y/kg y/l y/kg	Chronic local	Chronic systemic
Alcohols, C12-14, ethox Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value for water, intern Normal value of STP microor Normal value of STP microor Normal value for the terrestria Health - Derived no-effer Route of exposure	ylated, sulfates, s ition - PNEC sediment ar sediment nittent release ganisms al compartment ct level - DNEL / L Effects on consumers	DMEL	Chronic local	0,024 0,9168 0,09168 0,071 10000 7,5 Chronic systemic	mg mg mg mg mg mg mg mg mg	y/l g/kg g/kg g/l g/l g/kg Acute	Chronic local	

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021 Printed on 09/06/2021

Page n. 6/14

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear opencircuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	liquid
Colour	green
Odour	lemon
Odour threshold	Not available
рН	7,0
Melting point / freezing point	Not available
Initial boiling point	100 °C
Boiling range	Not available
Flash point	> 60 °C
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021

Printed on 09/06/2021 Page n. 7/14

Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	1,01 g/ml
Solubility	soluble in water
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	not explosive
Oxidising properties	not oxidizing

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

Limonene

May react with: oxidising agents.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Limonene

Avoid contact with: strong acids, oxidising agents.

10.6. Hazardous decomposition products

Limonene

May develop: carbon oxides.

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021

Printed on 09/06/2021 Page n. 8/14

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component) ATE (Oral) of the mixture: >2000 mg/kg ATE (Dermal) of the mixture: Not classified (no significant component)

Limonene

LD50 (Oral) > 2000 mg/kg Rat

LD50 (Dermal) > 5000 mg/kg Rabbit

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

LD50 (Oral) > 5000 mg/kg Rat

LD50 (Dermal) > 5000 mg/kg Rat

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021

Printed on 09/06/2021 Page n. 9/14

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

Limonene EC50 daphnia: 0.85 mg / I (24h) (Daphnia magna) Alcohols, C12-14, ethoxylated, sulfates, sodium salts EC0 (microorganisms): > 100mg/L (Pseudomonas putida)

Limonene
LC50 - for Fish
EC50 - for Algae / Aquatic Plants

0,72 mg/l/96h Pimephales promelas 0,32 mg/l/72h Pseudokirchneriella subcapitata

Alcohols, C12-14, ethoxylated, sulfates, sodium salts LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Fish

Chronic NOEC for Crustacea

- > 10 mg/l/96h Leuciscus idus
- > 10 mg/l/48h Daphnia magna
- > 100 mg/l/72h Scenedesmus subspicatus
- > 1 mg/l Leuciscus idus
- > 0,1 mg/l Daphnia magna

12.2. Persistence and degradability

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021

Printed on 09/06/2021 Page n. 10/14

Limonene

Biodegradability: 80% (28d) (OECD 301D)

Limonene

Rapidly degradable

Alcohols, C12-14, ethoxylated, sulfates, sodium salts Rapidly degradable

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021 Printed on 09/06/2021

Page n. 11/14

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

3 - 40

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021 Printed on 09/06/2021

Page n. 12/14

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H226	Flammable liquid and vapour.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

012A291106 - ONE WASH

Revision nr. 1

Dated 09/06/2021 Printed on 09/06/2021

Page n. 13/14

CAS NUMBER: Chemical Abstract Service Number CE50: Effective concentration (required to induce a 50% effect) CE NUMBER: Identifier in ESIS (European archive of existing substances) CLP: EC Regulation 1272/2008 DNEL: Derived No Effect Level EmS: Emergency Schedule GHS: Globally Harmonized System of classification and labeling of chemicals IATA DGR: International Air Transport Association Dangerous Goods Regulation IC50: Immobilization Concentration 50% IMDG: International Maritime Code for dangerous goods IMO: International Maritime Organization INDEX NUMBER: Identifier in Annex VI of CLP LC50: Lethal Concentration 50% LD50: Lethal dose 50% **OEL: Occupational Exposure Level** PBT: Persistent bioaccumulative and toxic as REACH Regulation PEC: Predicted environmental Concentration PEL: Predicted exposure level PNEC: Predicted no effect concentration REACH: EC Regulation 1907/2006 RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation WGK: Water hazard classes (German). GENERAL BIBLIOGRAPHY 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament 4. Regulation (EU) 2015/830 of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament 12. Regulation (EU) 2016/1179 (IX Atp. CLP) 13. Regulation (EU) 2017/776 (X Atp. CLP) 14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2018/1480 (XIII Atp. CLP) 16. Regulation (EU) 2019/521 (XII Atp. CLP) The Merck Index. - 10th Edition Handling Chemical Safety INRS - Fiche Toxicologique (toxicological sheet) Patty - Industrial Hygiene and Toxicology N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition IFA GESTIS website ECHA website Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products. CALCULATION METHODS FOR CLASSIFICATION Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9. Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

ALLEGRINI S.P.A.	Revision nr. 1
	Dated 09/06/2021
012A291106 - ONE WASH	Printed on 09/06/2021
	Page n. 14/14